ELSEVIER

Analytica Chimica Acta 486 (2003) 275–277

ANALYTICA CHIMICA ACTA

www.elsevier.com/locate/aca

Author Index

Abdollahi, H.
— and Nazari, F.
Rank annihilation factor analysis for spectrophotometric study of complex formation equilibria 109
Aizpurua, J.M., see Berregi, I. 269
Alizadeh, K., see Shamsipur, M. 93
Almeida, L.F.
—, Martins, V.L., Silva, E.C., Moreira, P.N.T. and Araujo, M.C.U.
Implementation of an automatic standard addition method in a flow–batch system: application to copper determination in an alcoholic beverage by atomic absorption spectrometry 143
Álvarez-Llamas, G.
—, Rodríguez-Cea, A., Fernández de la Campa, M.R. and Sanz-Medel, A.
Large volume sample stacking capillary electrophoresis for metallothioneins analysis in eel liver 183
Araujo, M.C.U., see Almeida, L.F. 143

Banu, S.
—, Greenway, G.M., McCreedy, T. and Shaddick, R.
Microfabricated bioreactor chips for immobilised enzyme assays 149
Berregi, I.
—, Santos, J.I., del Campo, G., Miranda, J.I. and Aizpurua, J.M.
Quantitation determination of chlorogenic acid in cider apple juices by ^{1}H NMR spectrometry 269
Bordel, N., see Díaz-García, J. 1
Brown, J.N.
— and Peake, B.M.
Determination of colloidally-associated polycyclic aromatic hydrocarbons (PAHs) in fresh water using C_{18} solid phase extraction disks 159
Burkoňová, D., see Meloun, M. 125

Cerdà, V., see Rumori, P. 227
Cerdà, V., see Semenova, N.V. 217
Chandra, S., see Gupta, V.K. 199
Cho, J., see La, S. 171
Chou, Y.-L., see Chuang, J.C. 31
Chuang, J.C.
—, Van Emon, J.M., Chou, Y.-L., Junod, N., Finegold, J.K. and Wilson, N.K.
Comparison of immunoassay and gas chromatography–mass spectrometry for measurement of polycyclic aromatic hydrocarbons in contaminated soil 31
Clarke, S.J., see Li, K.M. 51
Cohen, M.
—, Fruitier-Arnaudin, I., Garreau-Balandier, I. and Piot, J.M.
Microplate assay for determination of cathepsin D activity based on quantification of a specific and stable peptide released from hemoglobin: VV-hemorphin-7 21
Costa-Fernández, J.M., see Díaz-García, J. 1

Díaz-García, J.
—, Costa-Fernández, J.M., Bordel, N., Pereiro, R. and Sanz-Medel, A.
Energy transfer—room temperature phosphorescence for the optosensing of transition metal ions 1
de Diego, A., see Sanz, J. 255
del Campo, G., see Berregi, I. 269
Dong, S., see Zhai, S. 85

Eskandari, M.M., see Shamsipur, M. 93

Fajdiga, M., see Kostanjevec, A. 237
Fan, B., see Wang, Y. 191
Fatemi, M.H.
—, Jalali-Heravi, M. and Konuze, E.
Prediction of bioconcentration factor using genetic algorithm and artificial neural network 101
Fernández de la Campa, M.R., see Álvarez-Llamas, G. 183
Finegold, J.K., see Chuang, J.C. 31
Forteza, R., see Semenova, N.V. 217
Fruitier-Arnaudin, I., see Cohen, M. 21

Ganjali, M.R., see Shamsipur, M. 93
Gao, S., see Wang, Y. 191
Gao, Y., see Wang, Y. 191
Garreau-Balandier, I., see Cohen, M. 21
Gasana, E.
—, Westbroek, P., Temmerman, E., Thun, H.P. and Kiekens, P.
A wall-jet disc electrode for simultaneous and continuous on-line measurement of sodium dithionite, sulfite and indigo concentrations by means of multistep chronoamperometry 73
Geistmann, F., see Šandor, M. 11
Gong, S., see Zhai, S. 85
Greenway, G.M., see Banu, S. 149
Gupta, V.K.
—, Jain, S. and Chandra, S.
Chemical sensor for lanthanum(III) determination using aza-crown as ionophore in poly(vinyl chloride) matrix 199

doi:10.1016/S0003-2670(03)00657-3

Horie, M., see Inoue, K. 41
Hosseini, M., see Shamsipur, M. 93
Hu, Z., see Wang, Y. 191

Inoue, K.
—, Kawaguchi, M., Okada, F., Takai, N., Yoshimura, Y., Horie, M., Izumi, S.-i., Makino, T. and Nakazawa, H.
Measurement of 4-nonylphenol and 4-*tert*-octylphenol in human urine by column-switching liquid chromatography–mass spectrometry 41
Izumi, S.-i., see Inoue, K. 41

Jain, S., see Gupta, V.K. 199
Jalali-Heravi, M., see Fatemi, M.H. 101
Jiang, J., see Zhai, S. 85
Ju, H., see Yu, J. 209
Junod, N., see Chuang, J.C. 31
Jurejevčič, T., see Kostanjevec, A. 237

Kawaguchi, M., see Inoue, K. 41
Kiekens, P., see Gasana, E. 73
Kim, J.-H., see La, S. 171
Kim, K.-R., see La, S. 171
Konuze, E., see Fatemi, M.H. 101
Kostanjevec, A.
—, Jurejevčič, T., Majcen, Z. and Fajdiga, M.
Neural-network modeling of hot-compression test curves for calendering gasket materials 237

La, S.
—, Cho, J., Kim, J.-H. and Kim, K.-R.
Capillary electrophoretic profiling and pattern recognition analysis of urinary nucleosides from thyroid cancer patients 171
Leal, L.O., see Semenova, N.V. 217
Li, J., see Zhai, S. 85
Li, K.M.
—, Clarke, S.J. and Rivory, L.P.
Quantitation of plasma thymidine by high-performance liquid chromatography—atmospheric pressure chemical ionization mass spectrometry and its application to pharmacodynamic studies in cancer patients 51
Liu, M., see Wang, Y. 191
Liu, S., see Wang, Y. 191

Madariaga, J.M., see Sanz, J. 255
Majcen, Z., see Kostanjevec, A. 237
Makino, T., see Inoue, K. 41
Martins, V.L., see Almeida, L.F. 143
McCreedy, T., see Banu, S. 149
Meloun, M.
—, Burkoňová, D., Syrový, T. and Vrána, A.
Thermodynamic dissociation constants of silychristin, silybin, silydianin and mycophenolate by the regression analysis of spectrophotometric data 125
Miranda, J.I., see Berregi, I. 269
Moreira, P.N.T., see Almeida, L.F. 143
Mousavi, M.F., see Shamsipur, M. 93

Nakazawa, H., see Inoue, K. 41
Nazari, F., see Abdollahi, H. 109

Okada, F., see Inoue, K. 41

Peake, B.M., see Brown, J.N. 159
Pereiro, R., see Díaz-García, J. 1
Piot, J.M., see Cohen, M. 21

Raposo, J.C., see Sanz, J. 255
Rivory, L.P., see Li, K.M. 51
Rodríguez-Cea, A., see Álvarez-Llamas, G. 183
Rumori, P.
— and Cerdà, V.
Reversed flow injection and sandwich sequential injection methods for the spectrophotometric determination of copper(II) with cuprizone 227

Šandor, M.
—, Geistmann, F. and Schuster, M.
Luminescent hexanuclear Cu(I)-cluster for the selective determination of copper 11
Santos, J.I., see Berregi, I. 269
Sanz, J.
—, de Diego, A., Raposo, J.C. and Madariaga, J.M.
Routine analysis of mercury species using commercially available instrumentation: chemometric optimisation of the instrumental variables 255
Sanz-Medel, A., see Álvarez-Llamas, G. 183
Sanz-Medel, A., see Díaz-García, J. 1
Schuster, M., see Šandor, M. 11
Semenova, N.V.
—, Leal, L.O., Forteza, R. and Cerdà, V.
Multisyringe flow injection system for total inorganic selenium determination by hydride generation-atomic fluorescence spectrometry 217
Shaddick, R., see Banu, S. 149
Shamsipur, M.
—, Hosseini, M., Alizadeh, K., Eskandari, M.M., Sharghi, H., Mousavi, M.F. and Ganjali, M.R.
Polymeric membrane and coated graphite samarium(III)-selective electrodes based on isopropyl 2-[(isopropoxycarbothioyl)-disulfanyl]ethanethioate 93
Sharghi, H., see Shamsipur, M. 93
Silva, E.C., see Almeida, L.F. 143
Syrový, T., see Meloun, M. 125

Takai, N., see Inoue, K. 41
Temmerman, E., see Gasana, E. 73
Thun, H.P., see Gasana, E. 73

Van Emon, J.M., see Chuang, J.C. 31
Vrána, A., see Meloun, M. 125

Wang, Y.
—, Gao, S., Gao, Y., Liu, S., Liu, M., Hu, Z. and Fan, B.

Study of the relationship between the structure and the relative mobility of chlorophenols in different buffers modified by different organic additives by capillary zone electrophoresis 191
Westbroek, P., see Gasana, E. 73
Wilson, N.K., see Chuang, J.C. 31

Yoshimura, Y., see Inoue, K. 41
Yu, J.
— and Ju, H.
Amperometric biosensor for hydrogen peroxide based on hemoglobin entrapped in titania sol–gel film 209
Yun, L.
High extraction efficiency solid-phase microextraction fibers coated with open crown ether stationary phase using sol–gel technique 63

Zhai, S.
—, Gong, S., Jiang, J., Dong, S. and Li, J.
Assembly of multilayer films containing iron(III)-substituted Dawson-type heteropolyanions and its electrocatalytic properties: cyclic voltammetry, electrochemical impedance spectroscopy and UV-Vis spectrometry 85

VOL. 486
ISS. 1
JUN 11

2003